

Project:	
Туре:	
Description:	

# CELLS SURFACE OUTDOOR - OPAL DIFFUSER

OUTDOOR - SURFACE

IP66



Cells Opal Diffuser



All lumens shown above are initial. Lumens delivered up to 845/1098 lm Lumen maintenance: L70 B50=50,000h

## **FINISHES**

#### Surface body





Project:	
Type:	
Description:	

## **CELLS SURFACE OUTDOOR - OPAL DIFFUSER**

**OUTDOOR - SURFACE** 

#### **Technical Info**

#### **Driver**

Integral driver.

#### Optical features Light source features:

LED/3 step/50,000 hrs Beam Angles: 81°

#### Physical features:

Material: Die-cast aluminum

Mounting: Surface. Can also be mounted onto a junction box. Consult factory if pendant mounting is required; fixture can be provided with standard 3/8 IP thread upon request.

Surfaces: Celing, wall Weight: 4.6 lbs

### **Luminaire Description:**

**Fixture Features:** 16 LED square for surface mount with knockouts on all 4 sides. Supplied with 81° reflector and opal diffuser. Carries IP66 and wet rating for exterior use and IK10 impact rating for vandal resistance.

Fixture Benefits: Opal diffuser provides soft and uniform illumination.

Max Fixture Total Wattage:

13W LED: 16W 18W LED: 21W

Accessories: Please see page 3.


Warranty: 5 Year LED

#### ETL listed, Union assembled

Reggiani reserves the right to change details at any time. Rev 8/5/2021

### **TECHNICAL DRAWINGS**

Cells Surface





Project:	
Type:	
Description:	

# **CELLS SURFACE OUTDOOR - OPAL DIFFUSER**

OUTDOOR - SURFACE

### **ACCESSORIES**

<b>↔</b>	2.5"	81.4°.	<b>Description:</b> Connector	Code: 0.26030.00	Finishes: 48 White 08 Graphite 28 Gray 98 Raw aluminum
	**	0° - 90°   = 4, %	<b>Description:</b> 90° adjustable bracket	Code: 0.26111.00	Finishes: 48 White 08 Graphite 28 Gray 98 Raw aluminum
	0.0-000	0° - 90° 0145	<b>Description:</b> 90° two axis adjustable bracket	Code: 0.26112.00	Finishes: 48 White 08 Graphite 28 Gray 98 Raw aluminum
	*0 80 8.0"	6.3"	<b>Description:</b> Visor	Code: 0.26110.00	Finishes: 48 White 08 Graphite 28 Gray 98 Raw aluminum